

Mathematics 11U 6.1 – Periodic and Sinusoidal Functions

This chapter deals with **Sinusoidal Functions**, which are just a type (a subset) of **Periodic Functions**. The two sinusoidal functions we will work with are: $f(x) = \sin \theta$ and $f(x) = \cos \theta$

Periodic Function:

Period:





Peak:

Trough:


Equation of Axis:

Amplitude:


1. Which of the following graphs are periodic? Explain why or why not.



2. Determine the range, period, equation of the axis, and amplitude of the function shown.





3. The motion of an automated device for attaching bolts to a household appliance on an assembly line can be modelled by the graph shown at the left.
- What is the period of one complete cycle?
 - What is the maximum distance between the device and the appliance?
 - What is the range of this function?
 - If the device can run for five complete cycles only before it must be turned off, determine the domain of the function.
 - Determine the equation of the axis.
 - Determine the amplitude.
 - There are several parts to each complete cycle of the graph. Explain what each part could mean in the context of “attaching the bolt.”




6.2 – Sinusoidal Functions


What do the graphs of: $f(\theta) = \sin \theta$ and $f(\theta) = \cos \theta$ look like?



Function	$f(x) = 3 \sin(2x - 180) + 4$
Proper Function	
Amplitude	
Period	
Phase Shift	
Equation of Axis	
Domain (2 cycles)	
Range	




Function	$f(x) = -2 \cos\left(\frac{1}{2}x - 60\right) - 3$
Proper Function	
Amplitude	
Period	
Phase Shift	
Equation of Axis	
Domain (2 cycles)	
Range	



6.6 – Models of Sinusoidal Functions

A reminder of our sinusoidal functions:



The key to creating equations:

$$f(x) = a \sin(k(x - d)) + c$$


Amplitude = a , found by *peak-EoA*

Period = $\frac{360^\circ}{k}$ therefore $k = \frac{360}{\text{Period}}$


Phase Shift = d – this is your “starting point” – *must be peak, EoA or trough*

Equation of Axis = c , found by $\frac{\text{peak} + \text{trough}}{2}$

	Starting at...
+sin	Equation of axis, then heads to peak
-sin	Equation of axis, then heads to trough
+cos	Peak
-cos	Trough



Peak and Trough	
Equation of Axis	
Amplitude	
Period and k	
Phase Shift for sine	
Phase Shift for cosine	
Functions	



Peak and Trough	
Equation of Axis	
Amplitude	
Period and k	
Phase Shift for sine	
Phase Shift for cosine	
Functions	

x	0°	45°	90°	135°	180°	225°	270°
y	9	7	5	7	9	7	5

A sinusoidal function has an amplitude of 4 units, a period of 120° , and a maximum at $(0,9)$. Determine the equation of the function.

A group of students is tracking a friend, John, who is riding a Ferris wheel. They know that John reaches a maximum height of 11m at 10s and then reaches a minimum height of 1m at 55s. How high is John after 2 minutes?