

MCR3U - U5: Trigonometric Ratios - Practice/Review


Following are some practice problems intended to help you prepare for the Trig Ratios test. Use them well - Practice!

Ask for help if you need it. Extra help session after school Wednesday.

Solutions to these problems will be posted by Wed. morning.

- A ladder is leaning against a 3.4 m tall building at an angle of elevation of 50° . Determine the length of the ladder to the nearest tenth of a metre.
 - 3.9 m
 - 3.0 m
 - 4.4 m
 - 5.3 m
- Determine the value of θ to the nearest degree if $\cot \theta = 0.75$.
 - 53°
 - 37°
 - 45°
 - 42°
- The hypotenuse, c , of right $\triangle ABC$ is 5.0 cm long. Given the trigonometric ratio $\cos A = 0.75$ for angle A , what is the area of the triangle to the nearest tenth of a cm^2 ?
 - 5.4 cm
 - 6.2 cm
 - 7.3 cm
 - 8.0 cm
- Determine the exact value of $\tan^2 45^\circ - \cos 30^\circ$.
 - $2 - \frac{\sqrt{3}}{2}$
 - $1 + \frac{\sqrt{3}}{2}$
 - $1 - \sqrt{3}$
 - $\frac{2 - \sqrt{3}}{2}$
- For the angle $\theta = 150^\circ$ moving counter-clockwise in standard position, determine which primary trigonometric ratio is positive.
 - sine
 - cosine
 - tangent
 - none are positive
- Use the trigonometric ratio $\sin \theta = -0.2761$ to determine which of the following is the correct value of θ to the nearest degree if $0^\circ \leq \theta \leq 360^\circ$.
 - 164°
 - 82°
 - 16°
 - 344°
- $P(2, -3)$ lies on the terminal arm of an angle in standard position. What is the value of the principal angle θ to the nearest degree?
 - 56°
 - 146°
 - 236°
 - 304°


12. Determine the value of x to the nearest cm.



- a. 47 cm
 b. 68 cm
 c. 74 cm
 d. 98 cm

Full Solutions

13. Given the following triangle, state the six trigonometric ratios for $\angle A$.



14. Determine the exact value of $2 \sin^2 60^\circ \times \tan 30^\circ$.
15. Given $\cos(\theta + 25^\circ) = 0.2237$, solve for θ to the nearest degree. Assume θ is in quadrant 1.
16. For each question, draw the angle of rotation and determine the EXACT trig ratio:
 a) $\sin(150^\circ)$ b) $\tan(-315^\circ)$ c) $\sec(210^\circ)$
17. Given the trig ratio determine **both possible** values for θ where $0^\circ \leq \theta \leq 360^\circ$:
 a) $\sin(\theta) = -\frac{\sqrt{3}}{2}$ b) $\cos(\theta) = \frac{1}{\sqrt{2}}$ c) $\tan(\theta) = -\sqrt{3}$
18. Given the (inexact!!) trig ratio, determine **both possible** values for θ where $0^\circ \leq \theta \leq 360^\circ$ (round to the nearest degree):
 a) $\cos(\theta) = -0.3421$ b) $\csc(\theta) = 1.512$

19. A triangular plot of land is enclosed by a fence. One side of the fence is 8.1 m long with an opposite angle of 75° . An adjacent side of the fence is 5.7 m long with an opposite angle of θ .
- Make a sketch of the situation.
 - Determine θ to the nearest degree.
20. The posts of a hockey goal are 2.0 m apart. A player attempts to score by shooting the puck along the ice from a point 7.2 m from one post and 8.6 m from the other. Within what angle θ must the shot be made? Round your answer to the nearest degree.
21. Given a triangle with 3 angles that sum to 180° , can the lengths of the sides be determined? Explain.
22. Mary stands on a balcony. Joe is on the left of the balcony looking up at her at an angle of 52° with the ground. Trent is on the right of the balcony looking up at her at an angle of 47° with the ground. If the height, h , is 4 m, how far apart are Joe and Trent standing to the nearest tenth of a metre? Assume the angle the base of the balcony makes between Joe and Trent is 90° .
23. Doug is looking at a cliff. He determines that the angle of elevation to the top is 54° from where he is at. 50 m away from Doug, Gary estimates the angle between the base of the cliff, himself, and Doug to be 26° while Doug estimates the angle between the base of the cliff, himself, and Gary to be 70° . What is the height, h , of the cliff to the nearest tenth of a metre?