

# Functions 11


## Course Notes

## Unit 2 – Functions

### *TWO NUMBERS CAN DESCRIBE THE UNIVERSE (WELL A FLAT UNIVERSE)*

We will learn

- the meaning of the term *Function* and how to use function notation to calculate and represent functions
- the meanings of the terms *domain* and *range*, and how a function's structure affects domain and range
- how to use transformations to represent and sketch graphs
- how to determine the inverse of a function



# Unit 2 – Functions

*Contents with suggested problems from the Nelson Textbook.*

## Section 1.1

Pg. 10 – 12 #1, 2 (*no ruler needed...*), 6, 7, (*no need for the VLT, but do sketch graphs even if you use Desmos to do the sketching!*), 9, 11, 12 (*think carefully about the idea that the domain and range are “limited”*)

## Section 1.2

Page 23 #1-2, 5, 8b, 10, 11cd, 15, 16, challenge #17

## Section 1.3/1.4

READ Examples 3 and 4 on pages 32 – 34 in your text

Pg. 35 – 37 #2 (*also: which are functions?*), 9bce, 11 (*use a graphing calculator, or Desmos if you want!*), 12, 14 (*calculate the functional values for each given domain value*)

## Section 1.5

Pg. 47 – 49 #1, 8, 10, 16, 17

Also, determine the inverse (your method of choice) of:

a)  $f(x) = 2\sqrt{x-3} + 5$       b)  $g(x) = \frac{1}{x+3}$       c)  $h(x) = \frac{1}{2}(x+3)^2 - 1$

## Section 1.6-1.8

Handout (which will be handed in) and Pg. 70 #18

OR

Pg. 70 – 73 #4 (*state the transformations*), 5bd, 6 (*state the transformations*), 7b, 8c, 9a, 10 (*state the transformations*), 16, 17, 18, 19ac

# Chapter 1 – Introduction to Functions

## 1.1 Relations and Functions (*This is a **KEY** lesson!*)


**Learning Goal:** We are learning to recognize functions in various representations.

This course is called **FUNCTIONS**, so it seems rather important that you know what a function actually is. Thus you need to know, very well, the following (algebraic) definition:

**Definition 1.1.1**

A **FUNCTION** is an algebraic

We can visualize what a function is (and **isn't**) by using so-called “**arrow diagrams**”:



We need a few more definitions before moving on, so that we can “speak the language” of functions (and that language is mathematics!)

**Definition 1.1.2**

A **SET** is

**Definition 1.1.3**

A **RELATION** is

**Definition 1.1.4**

The **DOMAIN** of a function (or a relation) is

**Definition 1.1.5**



The **RANGE** of a function (or a relation) is

Two other important terms to know are:

- 1) The **INDEPENDENT VARIABLE**
  
- 2) The **DEPENDENT VARIABLE**

## KNOWING WHEN A RELATION IS, AND ISN'T, A FUNCTION

**Graphically:**     *The Vertical Line Test*



**Algebraically:**     *(NOTE: this is a “rough” way of thinking about the problem)*

If the Dependent Variable is

e.g.

### Success Criteria:

- I can determine the domain of a relation or function as the set of all values of the independent variable
- I can determine the range of a relation or function as the set of all values of the dependent variable
- I can apply the vertical line test to determine if a graph is a function
- I can recognize whether a relation is a function from its equation

# Chapter 1 – Introduction to Functions

## 1.2 Function Notation

**Learning Goal:** We are learning to use function notation to represent linear and quadratic functions

Here we learn a **NEW AND IMPROVED WAY** for describing a function, algebraically. You have been using the following form for functions (in this example, for a quadratic):

$$y = 3(x - 2)^2 + 1$$

A much more useful way of writing function is to use **FUNCTION NOTATION**. The above quadratic (*which we call a “function of  $x$ ” because the domain is given as  $x$ -values*) can be written as:

This new notation is so useful because the “symbol”

shows **BOTH** the **DOMAIN** and the **RANGE** values. Because of that, the function notation shows us **points** on the graph of the function.

Let’s do some examples (from your text on pages 23 – 24)

### Example 1.2.1

4. Evaluate  $f(-1)$ ,  $f(3)$ , and  $f(1.5)$  for

a)  $f(x) = (x - 2)^2 - 1$       b)  $f(x) = 2 + 3x - 4x^2$

**Example 1.2.2**

6. The graph of  $y = f(x)$  is shown at the right.

a) State the domain and range of  $f$ .


b) Evaluate.

i)  $f(3)$

iii)  $f(5 - 3)$

ii)  $f(5)$

iv)  $f(5) - f(3)$



**Example 1.2.3**

11. For  $g(x) = 4 - 5x$ , determine the input for  $x$  when the output of  $g(x)$  is

a)  $-6$       b)  $2$

**Example 1.2.4**

7. For  $h(x) = 2x - 5$ , determine

- |               |                |
|---------------|----------------|
| a) $h(a)$     | c) $h(3c - 1)$ |
| b) $h(b + 1)$ | d) $h(2 - 5x)$ |

**Example 1.2.5**

12. A company rents cars for \$50 per day plus \$0.15/km.

- Express the daily rental cost as a function of the number of kilometres travelled.
- Determine the rental cost if you drive 472 km in one day.
- Determine how far you can drive in a day for \$80.

**Success Criteria:**






- I can evaluate functions using function notation, by substituting a given value for  $x$  in the equation for  $f(x)$
- I can recognize that  $f(x) = y$  corresponds to the coordinate  $(x, y)$
- I can, given  $y = f(x)$ , determine the value of  $x$

# Chapter 1 – Introduction to Functions

## 1.3 and 1.4 Parent Functions and Domain and Range

**Learning Goal:** We are learning the graphs and equations of five basic functions; and using their tables, graphs, or equations to find their domains and ranges.

We will be closely studying **5 TYPES OF FUNCTIONS** (Actually we'll study more than the following five, but for now....the big five are: )

Equation of Function	Name of Function	Sketch of Graph
$f(x) = x$	linear function	
$f(x) = x^2$	quadratic function	
$f(x) = \sqrt{x}$	square root function	
$f(x) = \frac{1}{x}$	reciprocal function	
$f(x) =  x $	absolute value function	

## DOMAIN AND RANGE

Two **INCREDIBLY IMPORTANT** aspects of functions are their


Again, the Domain is

And, the Range is


### Example 1.4.1

Given the **SKETCH OF THE GRAPH** of the **RELATION** determine: the domain, the range of the relation, and whether the relation is, or is not, a function.


a)



b)




c)




## THE PARENT FUNCTIONS *(for Grade 11)*

Together we will explore (graphically) basic properties of the five *parent* functions:


a) Linear




b) Quadratic




c) Square Root



d) Reciprocal



e) Absolute Value



**Example 1.4.2** (From Pg. 36 in your text)

8. Write a function to describe coffee dripping into a 10-cup carafe at a rate of 1 mL/s. State the domain and range of the function (1 cup = 250 mL).

**Example 1.4.3** (From Pg. 37 in your text...use Desmos)

9. Determine the domain and range of each function.

a)  $f(x) = -3x + 8$

d)  $p(x) = \frac{2}{3}(x - 2)^2 - 5$

f)  $r(x) = \sqrt{5 - x}$

### Example 1.4.4

10. A ball is thrown upward from the roof of a 25 m building. The ball reaches a height of 45 m above the ground after 2 s and hits the ground 5 s after being thrown.

**A**

- a) Sketch a graph that shows the height of the ball as a function of time.
- b) State the domain and range of the function.
- c) Determine an equation for the function.

#### Success Criteria:

- I can identify the unique characteristics of five basic types of functions
- I can identify the domain and ranges of five basic types of functions
- I can identify when there are restrictions given real-world situations

## Chapter 1 – Introduction to Functions


### 1.5: Inverses of Functions

**Learning Goal:** We are learning to determine inverses of functions and investigate their properties.

**Definition 1.5.1** (*very rough definition!*)

Given a function  $f(x)$ , the inverse of the function (which we write as  $f^{-1}(x)$ ) can be considered to “**undo**” what  $f(x)$  originally did.

Consider the **Arrow Diagrams**:



Big Idea

### Example 1.5.1

Given the graph of  $f(x)$  determine:  $D_f, R_f, f^{-1}(x), D_{f^{-1}}, R_{f^{-1}}$



$f(x) = \{(2,3), (4,2), (5,6), (6,2)\}$  . Is  $f^{-1}(x)$  a function?

## Determining the Inverse of a Function

We can determine the inverse of some given function in either of two ways: Graphically and Algebraically.

### Function Inverses Graphically

*Note: Finding a function inverse graphically is not a very useful method, but it can be instructive.*



## Function Inverses Algebraically

Determining algebraic representations of inverse relations for given functions can be done in (at least) two ways:

- 1) Use algebra in a “brute force” manner (keeping in mind the Big Idea)
- 2) Use Transformations (keeping in mind “inverse operations”)

### Example 1.5.2

Determine the inverse of

a)  $f(x) = 2x - 5$    b)  $g(x) = \frac{1}{2}\sqrt{x-1} + 2$ .

State the domain and range of both the function and its inverse.

Here we will use “brute force”.

Method:

- 1) Switch  $x$  and  $f(x)$ , and call " $f(x)$ ",  $f^{-1}(x)$ .
- 2) Solve for  $f^{-1}(x)$

**Example 1.5.3**

Using transformations determine the inverse of  $f(x) = 2\sqrt{\frac{1}{3}(x-1)} + 2$ .

**Success Criteria:**

- I can determine the inverse of a function using various techniques
- I can determine the inverse of a coordinate (a , b) by switching the variables: (b , a)
- I can recognize that the domain of an inverse is the range of the original function
- I can recognize that the range of an inverse is the domain of the original function
- I can understand that the inverse of a function is a reflection along the line  $y = x$

# Chapter 1 – Introduction to Functions

## 1.6 – 1.8: Transformations of Functions *(Part 1)*

**Learning Goal:** We are learning to apply combinations of transformations in a systematic order to sketch graphs of functions.

To **TRANSFORM** something is to

**TRANSFORMATIONS OF FUNCTIONS** can be seen in two ways: algebraically, and graphically. We'll begin by examining transformations graphically.

But before we do, we need to remember that the **GRAPH OF A FUNCTION**,  $f(x)$ , is given by:

$$f(x) = \left\{ \left( x, f(x) \right) \mid x \in D_f \right\}$$

So, for functions we have two things (NUMBERS!) to “transform”. We can apply transformations to

- 1) **Domain** values (which we call **HORIZONTAL TRANSFORMATIONS**)
- 2) **Range** values (which we call **VERTICAL TRANSFORMATIONS**)

There are **THREE BASIC FUNCTIONAL TRANSFORMATIONS**


- 1) Flips (*Reflections “around” an axis*)
- 2) Stretches (*Dilations*)
- 3) Shifts (*Translations*)

So, we can have **Horizontal** flips, stretches and/or shifts, and **Vertical** flips, stretches and/or shifts. Now let's take a look at how transformations can be applied to functions.

**Note:** We'll (mostly) be applying transformations to our so-called “parent functions” (although applying transformations to linear functions can seem pretty silly!)

### Example 1.8.1

Consider, and make observations concerning the sketch of the graph of the parent function  $f(x) = \sqrt{x}$  and the transformed function  $g(x) = 2\sqrt{-x-2}+1$ .




**Horizontal Transformations**

**Vertical Transformations**

*Note:* In the above example we can **algebraically** describe  $g(x)$  as a transformed  $f(x)$  with the functional equation  $g(x) = 2f(-x-2)+1$

Example 1.8.2

Consider, and make observations concerning the sketch of the graph of the parent function  $f(x) = x^2$  and the transformed function  $g(x) = -\frac{1}{2}(x-2)^2 - 1$



**Horizontal Transformations**

**Vertical Transformations**

*Note:* In the above example we can **algebraically** describe  $g(x)$  as a transformed  $f(x)$  with the functional equation

# Chapter 1 – Introduction to Functions

## 1.6 – 1.8: Transformations of Functions (Part 2)

We now turn to examining Transformations of Functions from an algebraic point of view (although a geometric perspective will still shine though!)

### Definition 1.8.1

Given a function  $f(x)$  we can obtain a related function through functional transformations as

$$g(x) = af(k(x-d)) + c, \text{ where}$$

### Example 1.8.3

Consider the given function. State its parent function, and all transformations.

$$f(x) = 3\sqrt{-x+2} - 1$$

**Horizontal Transformations**

**Vertical Transformations**

### Example 1.8.4

The basic absolute value function  $f(x) = |x|$  has the following transformations applied to it: **Vertical Stretch**  $-3$ , **Vertical Shift**  $1$  up, **Horizontal Shift**  $5$  right. Determine the equation of the transformed function.

### Back to a geometric point of view


Sketching the graph of a transformed function can be relatively easy if we know:

- 1) The shape of the parent function AND a few (3 or 4) points on the parent.
- 2) How transformations affect the points on the parent
  - i) **Horizontal transformations** affect the **domain values** (**OPPOSITE!!!!!!**)
  - ii) **Vertical transformations** affect the **range values**

Note: Given a point on some parent function which has transformations applied to it is called an **IMAGE POINT** on the transformed function.


### Example 1.8.5

Given the sketch of the function  $f(x)$  determine the image points of the transformed function  $-2f\left(\frac{1}{3}(x+1)\right)+3$  and sketch the graph of the transformed function.



**Example 1.8.6**

On the same set of axes sketch the graphs of  $f(x) = \sqrt{x}$  and  $g(x) = 2\sqrt{-x+1} - 2$ . Determine three points on the parent function and state the image points for each.

**Success Criteria:**

- I can use the value of a to determine if there is a vertical stretch/reflection in the x-axis
- I can use the value of k to determine if there is a horizontal stretch/reflection in the y-axis
- I can use the value of d to determine if there is a horizontal translation
- I can use the value of c to determine if there is a vertical translation
- I can transform x coordinates by using the expression  $\frac{1}{k}x + d$
- I can transform y coordinates by using the expression  $ay + c$