



Functions & Applications 11

MCF3M

Course Notes

Chapter 6: Sinusoidal Functions



Homework

Contents with suggested problems from the Nelson Textbook. You are welcome to ask for help, from myself or your peers, with any of the following problems. They will be handed in on the day of the Unit Test as a homework check. Alternatively, you may be handing your homework in more regularly for me to correct.

Section 6.2 – Page 330

#1, 5, 7, 8, 9

Section 6.3 – Page 339

#1, 3, 4, 6, 9

Section 6.4 – Page 348

#3ac, 4, 6, 7a-f (specify info for each graph, as much as you have time)

Section 6.5 – Page 365

#6ac, 8, 9cf (*just graph yourself*), 10

Section 6.6 – Page 373

#4ace, 5, 7, 10, 13aef, 15




6.2: Periodic Behaviour

Learning Goal: We are learning to interpret and describe graphs that **repeat at regular intervals**.

A **PERIODIC FUNCTION** is unique in that it has a pattern in the **y-values** that repeats over time.

- There is a **constant** maximum height
- There is a **constant** minimum height
- You can imagine a **center line** that goes through the middle
- The graph repeats in **cycles** that are the same size

e.g. Consider the following pictures: Determine which are periodic.



The **Period** of a periodic function is the amount of time that it takes one complete cycle to occur. This is determined by looking at the **x-values** of the function. In other words, looking at the domain.

Determine the periods of the above periodic functions:

a) 365 days

b) 4 sec


c) 6 sec

Other Unique Properties

a) Periodic functions have a **Maximum** value and a **Minimum** value

b) The **Amplitude** of a periodic function is half of the distance between a maximum value and the minimum value.

$$\text{Amplitude} = \frac{\text{max} - \text{min}}{2}$$




c) The **Central Axis** is half way between the maximum value and the minimum value. The equation of The Central Axis is given by $y = \frac{\text{max} + \text{min}}{2}$.

Average the max
& min

Example 1

Determine the period, maximum, minimum, equation of the central axis, and amplitude of the function shown.



a) Period \rightarrow look max \rightarrow max
OR
min \rightarrow min
Period = 4

b) max = 10
min = 2

c) Eqn of Central Axis $y = 6$

d) Amplitude = 4


$$\frac{10 - 2}{2} = \frac{8}{2} = 4$$

$$\frac{10 + 2}{2} = \frac{12}{2} = 6$$

Example 2

The motion of an automated device for attaching bolts to a household appliance on an assembly line can be modelled by the graph shown below.

- What is the period of one complete cycle?
- What is the maximum distance between the device and the appliance?
- How long does it take for the machine to complete five complete cycles?
- Determine the equation of the central axis
- Determine the amplitude.
- There are several parts to each complete cycle of the graph. Explain what each part could mean in the context of “attaching the bolt”.



a) Period = 1 sec

b) Max = 1.5 cm

c) $5 \text{ cycles} \times \frac{1 \text{ sec}}{1 \text{ cycle}} = 5 \text{ sec.}$

d) $\frac{\text{max} + \text{min}}{2} = \frac{1.5 + 0}{2} = 0.75$

$y = 0.75$

e) $\frac{\text{max} - \text{min}}{2} = \frac{1.5 - 0}{2} = 0.75$ (0.75 cm)

- f) a = bolt affixed
 b = drive bolt down
 c = Machine retracts

Success Criteria:

- I can find the period, maximum, minimum, central axis, and amplitude of a periodic function
- I can determine IF a function is periodic


6.3 The Sine Function

Learning Goal: We are learning how to graph the sine function and continuing our investigation into the properties of sinusoidal functions.

Sin, cos and tan can all be graphed! I know! Crazy! But we will be focusing on only one of these functions: $\sin x$

To graph it, let's generate a table of values for some angles $0^\circ < x < 360^\circ$

X	Y
$\sin 0$	0
$\sin 45$	0.7071
$\sin 90$	1
$\sin 135$	0.7071
$\sin 180$	0
$\sin 270$	-1
$\sin 360$	0



Properties of the sine function:

Maximum: 1

Minimum: -1

Equation of central axis: $y = 0$

Amplitude: 1


Period: 1 cycle = 360°

Domain: $\{x \in \mathbb{R}\}$

Range: $\{y \in \mathbb{R} \mid -1 \leq y \leq 1\}$

This is the “parent” sine function, and the properties associated with it. Since it meets all of the criteria from yesterday’s lesson, it clearly models a sinusoidal function.


Let me illustrate, and this circle will also help explain the graph we got on the previous page.



6

Example #1:

Sarah is sitting in an inner tube in a wave pool. The depth of the water below her in terms of time can be represented by the graph shown. What is the period, central axis, and amplitude of this graph? Can it be modelled by the sine function...if we used some transformations...?



period: $5.2 - 2.2s = 3 \text{ sec}$

Central Axis: $y = 2$

Amplitude: 0.4 m

yes it could be modelled.

	Parent:		transformed
Period	360°	→ compress	3 sec
Central Axis	$y = 0$	→ Shift it up 2	$y = 2$
Amplitude	1	→ compress	0.4
Start "phase Shift"	Starts in middle	All Good ↓	Starts in middle

Success Criteria

- I understand that graphs that are periodic have the same shape and characteristics as the sine function
- I can recognize the properties of the sine function
 - Has an amplitude of 1
 - Has a period of 360°
 - Its central axis is $y = 0$
 - Domain is $\{x \in \mathbb{R}\}$ and Range is $\{y \in \mathbb{R} \mid -1 \leq y \leq 1\}$
- I can recognize that the sine function passes through 5 key points

6.4 Comparing Sinusoidal Functions

Learning Goal: We are learning to connect details of sinusoidal phenomena to their graphs.

You can learn a great deal about sinusoidal functions by studying their graphs. In this lesson, we will deepen our understanding of the properties of sinusoidal functions by doing precisely that. We can compare different sinusoidal functions by looking at their:


Period (study peak-peak or trough-trough)

Amplitude

Central Axis

Min/Max

Example #1: At an amusement park, a math teacher had different students ride two Ferris wheels. Thomas rode on Ferris wheel A, and Ryan rode on Ferris wheel B. The teacher collected data and produced two graphs. Compare the two graphs by studying the four properties above.



Example 2: From the previous question, what is the circumference of each Ferris wheel, and what is the speed of each Ferris wheel?

Reflection Questions

How does changing the radius of the wheel affect the sinusoidal graph?

How does changing the height of the axle of the wheel affect the sinusoidal graph?

How does changing the speed of the wheel affect the sinusoidal graph?

Success Criteria:


- I can use a sinusoidal function to model or solve problems that involve circular or oscillating (back and forth) motion at a constant speed
 - I can recognize that one cycle of motion equals one period of the sinusoidal function.

6.5/6.6 Transformations of $\sin x$

Learning Goal: We are learning how to sketch the graphs of sinusoidal functions using transformations.

The transformations of the sine function mimic the ones we learnt earlier in quadratics. The only difference is that we call them by different letters!

General Form of the Sine Function: $f(x) = a \sin(x - d) + c$.

Transformation	Properties
$a = \text{amplitude}$ <i>always positive.</i> (vertical stretch) $A = -a$ gives a vertical flip	$a = \frac{\text{max} - \text{min}}{2}$ <i>modifies y-value of coordinate pair</i> 
$d = \text{Phase Shift}$ (horizontal shift)	<i>modifies x-value</i> $(x + d)$ move left $(x - d)$ move right
$c = \text{Central Axis}$ (vertical shift)	$c = \frac{\text{max} + \text{min}}{2}$ <i>modifies y-value</i> $+c$ moves up $-c$ moves down

Example #1: Determine the amplitude, period, phase shift, and equation of the central axis for:

a) $f(\theta) = 2 \sin(\theta + 60^\circ) + 1$

Amplitude = 2
 Central Axis $y = 1$
 Phase Shift
 shift left 60
 $(\theta - (-60))$
 Period: 360°

b) $g(\theta) = -3 \sin(\theta - 45^\circ) + 0$

Amplitude: 3
 Is a vertical flip.
 Phase Shift
 Right 45
 Period: 360°
 Central Axis $y = 0$ (no transformation)

$$-2 \sin x$$

Example #2: Sketch $f(x) = \sin(x)$ and $g(x) = -2 \sin(x)$ for $0^\circ \leq x \leq 360^\circ$ on the same set of axes.

Identify which properties of the sine function change with the transformation.

$f(x)$ = Parent function


x	$\sin(x)$
0	0
90	1
180	0
270	-1
360	0

Transformations


- amplitude/slope 2
- vertical flip
- ↳ multiply y-values by -2

Transformed

x	$-2 \cdot y$
0	$-2(0) = 0$
90	$-2(1) = -2$
180	$-2(0) = 0$
270	$-2(-1) = 2$
360	$-2(0) = 0$



Example #3: Explain what transformations were applied to $f(x) = \sin x$ (green curve) to create the black curve, $g(x)$. What is the new equation of $g(x)$?



Central Axis?

$$y = -4$$

Down 4

Amplitude?

the same

vert Flip?

NO!

Phase Shift?

Right 180°

$$(x - 180)$$


$$\therefore g(x) = 1 \sin(x - 180) - 4$$

Example #4: Sketch $f(\theta) = -3\sin(\theta - 90) - 1$. State transformations, create tables, and state domain and range of the function.

- Amplitude = 3 Phase Shift
- Vertical Flip - Right 90° Central Axis
- Down 1

Parent	
θ	$f(\theta)$
0	0
90	1
180	0
270	-1
360	0

Transformed	
$\theta + 90$	$-3y - 1$
$(0) + 90 = 90$	$-3(0) - 1 = -1$
$(90) + 90 = 180$	$-3(1) - 1 = -4$
270	$-3(0) - 1 = -1$
360	$-3(-1) - 1 = 2$
450	$-3(0) - 1 = -1$



Domain of $g(\theta) = \{x \in \mathbb{R}\}$

Range $g(\theta) = \{g(\theta) \in \mathbb{R} \mid -4 \leq g(\theta) \leq 2\}$

Success Criteria:

- I can transform the graph of the sine function in three ways
 - Vertical stretch (a)
 - Horizontal shift (b) – the opposite occurs)
 - A vertical shift (c)
- I can identify transformations by studying the equation of a sinusoidal function